

APPENDIX TO DEVICE AND METHOD FOR INSPECTION OF BAGGAGE AND OTHER OBJECTS

#define c5 .304

```
#define MIN HI
                     1
                     2001
#define MAX HI
#define HI INDEX
                     1
#define MAX_IDX 4000
                                   equivalent epoxy plastic */
/* #define TISSUE */
                         /* C4 plastic explosive */
#define C4
/* #define RDX */
                         /* RDX sheet explosive */
                         /* Water Gel explosive */
/* #define WG */
                         /* 40% dynamite stick */
/* #define DYN */
/* new way of determining low */
#define z1 .0247
#define z2 .01492
#define z3 .265
#define z4 112.6
#define z5 25.198
#define z6 .6218
#define z7 .265
/* define substance parameters */
#ifdef WG
#define c1 9.732
#define c2 6.108
#define c5 1.218
#define K0 .547
#define KL .961
#endif
#ifdef RDX
#define c1 9.732
#define c2 6.108
#define c5 1.218
#define K0 .65
#define KL .86
#endif
#ifdef C4
#define c1 9.732
#define c2 6.108
#define c5 1.218
#define K0 .6522
#define KL .87
#endif
#ifdef DYN
#define c1 570.46
#define c2 4.352
```

```
#define KO .522
#define KL .765
#endif
#ifdef TISSUE
#define cl 3798
#define c2 3.8837
#define c5 0.993
#define K0 .655
#define KL .825
#endif
double bh (double km);
double bh (double km)
{
    return(c1*pow((km+c5),c2));
}
double Kref (double Hi, double Km, double k0);
double Kref (double Hi, double Km, double k0)
      return (((Hi+bh(Km))*k0*KL)/((bh(Km)*KL)+(Hi*k0)));
}
double alpha (double km);
double alpha (double km)
{
    return((z1+(z2*km)-(z2*z3))/(km*km));
double beta (double km);
double beta (double km)
    return((z4+((z6-km)*(z5/(z6-z7))))/km);
}
double newlow(double h, double km);
double newlow(double h, double km)
    return (h*(1/(km+(alpha(km)*(h/(h+beta(km)))))));
}
double find Km(double hi, double Kair, double kref);
double find Km(double hi,double Kair,double kref)
{
    /* find the Km that approximates the desired Kref given high val,k0 */
    int x, bitval;
    double lsbval,approx_kref;
```

```
lsbval = 0.8;
    bitval = 0;
    for (x=0;x<8;x++)
        bitval=(bitval<<1)|1;
        lsbval = lsbval/(double) 2.0;
        approx_kref = (Kref(hi,((double).1+((double)bitval*lsbval)),Kair));
        if (approx_kref < kref)</pre>
            bitval=bitval&(0xfe);
    return (((double)bitval*lsbval)+.1);
double findKm Low(double hi, double low);
double findKm Low(double hi, double low)
{
    /* find the Km that approximates the desired Low given high val,k0 */
    int x, bitval;
    double lsbval,approx_low;
    lsbval = 0.8;
    bitval = 0;
    for (x=0;x<8;x++)
    {
        bitval=(bitval<<1) | 1;
        lsbval = lsbval/(double)2.0;
        approx_low = (Low(hi,((double).1+((double)bitval*lsbval))));
        if (approx low < low)
            bitval=bitval&(0xfe);
    return (((double)bitval*lsbval)+.1);
}
    /* create the histogram */
    for (hint = MIN HI; hint < MAX_HI; hint += HI_INDEX)
    {
                                                  /* Get hi double value..*/
        h = (double)hint;
        /* Set up the header values and the KIdx */
        Hdr[HI VALUE] = hint;
        KIdx = 0;
```

```
/* Get the hi and lo kref */
hi kref = Kref(h, 0.29, k0);
lo kref = Kref(h, 0.8, k0);
k=lo kref;
lastl = -100.0;
diffl = 1000.0;
while (k<hi_kref)</pre>
    km=find Km(h,k0,k);
    kr=Kref(h,km,k0);
    1=Low(h,km);
    if (((1-last1)<diff1)&&(km>.29))
        diffl = 1 - lastl;
    lastl = 1;
    if (h>800.0)
  • {
        k=k*1.04;
    } else
                        /* 1% bins */
        k=1.01*k;
}
/* do it again, but use diffl to find values */
k=lo kref;
km = find Km(h,k0,k);
l=Low(h,km);
findl=(int)1;
/* adjust diffl to a power of 2 */
tdiffl=0;
while ((1 << (tdiffl+1)) <= (int)diffl)
    tdiffl++;
km=findKm Low(h,(double)findl);
k=Kref(h,km,k0);
/* Save the minimum low and the scale factor */
Hdr[MIN LO] = findl;
Hdr[LO SCALE] = tdiffl;
while (k < hi kref)
{
    km=findKm Low(h, (double) findl);
    k=Kref(h,km,k0);
    /* Save the necessary information into the values
    KrefTab[KIdx] = (float)k;
```

```
KIdx++;
            /* increment low */
            find1 += (1 << tdiff1);
            /* increment bin count */
            bincnt+=1;
        }
        /* Now we have the table, write out the header then the table */
       Hdr[MAX LO] = findl;
        bwritten = write (fhndl, (char *)Hdr, sizeof(int)*4);
        if (bwritten != (sizeof(int) * 4))
            printf("Error writing file\n");
            return(1);
        }
        /* Now write out the kref vector */
        bwritten = write (fhndl, (char *)KrefTab, sizeof(float)*KIdx);
        if (bwritten != (sizeof(float)*KIdx))
            printf("Error writing file\n");
            return(1);
        }
    }
    /* output bin count */
    printf("Total Kref bin count :%ld\n",bincnt);
/*
        Detection algorithm for above histogram
*/
 * Function:
        DoBox
 * Descrition:
        Process the box.
 * Usage:
        DoBox (x, y)
 * Inputs:
        x - int : the x coordinate of the candidate pixel
        y - int : the y coordinate of the candidate pixel
 *
```

```
* Outputs:
       None
 */
static void DoBox (int x, int y)
    int tx, ty;
    double diffH, diffL, diffK;
    double kreflo, krefhi, krefavg;
    /* int tmp; */
    double mindiff;
    Pixel *midpxl = &ScanLine[y][x];
    Pixel *pxl;
    /* Average the values for this pixel */
    AveragePixel (x, y);
    /* See if we need to do this pixel */
    if (midpxl->avghia > 2000.0)
        return;
     * Calculate the min difference value (this is calculated by using
     * twice the expected noise as the difference value).
    mindiff = (10000.0/(100.0+midpxl->avghia));
    /* Now loop through the pixels doing the box */
    for (ty = y - BORDER; ty \le (y + BORDER); ty++)
        /* Get the pixel */
        pxl = &ScanLine[ty][x - BORDER];
        /* Loop through the x */
        for (tx = x - BORDER; tx \le (x + BORDER); tx++, pxl++)
            /* See if we need to look at this pixel (edges are no-nos) */
            if (pxl->sobel)
                continue;
            /* Average this sucker */
            AveragePixel (tx, ty);
            /* Now difference the Hi AIRS */
            diffH = midpxl->avghia - pxl->avghia;
            /* Now threshold it */
            if (diffH < mindiff)</pre>
                continue;
            /* Now difference the Lo AIRS */
            diffL = midpxl->avgloa - pxl->avgloa;
```

```
/* Now threshold it */
            if ((diffL < mindiff) || (diffL == 0.0))
                continue;
            kreflo=LookupKref(pxl->avghia,pxl->avgloa);
            krefhi=LookupKref(midpxl->avghia,midpxl->avgloa);
            diffK = diffH/diffL;
            /* Key lookup algorithm
             * Histogram generation algorithm has been fit to this ratio
             */
            krefavg=(kreflo*.8)+(.2*krefhi);
            /* See if we need to histogram this point */
            if ((diffK < (krefavg+(MinThreshold)))</pre>
                || (diffK >(krefavg+(MaxThreshold))))
                continue;
            midpxl->histval++;
        }
    }
    if (maxhit<midpxl->histval)
        maxhit=midpxl->histval;
    if(midpxl->histval > fomThresh)
        fom += (midpxl->histval - fomThresh);
    if ((midpxl->histval > 0) && (midpxl->histval <200))</pre>
        histpix[midpxl->histval]++;
}
```

: 51 RICHARDSONBOS PO2

ATTORNEY DOCKET NO. 03375/003001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Kristoph D. Krug et al.

Art Unit: 2311 Examiner: G. Hayes

Serial No.: 07/566,083

DEVICE AND METHOD FOR INSPECTION OF BAGGAGE AND OTHER

Title **OBJECTS**

Filed

Commissioner of Patents and Trademarks Washington, DC 20231

TELEPHONE INTERVIEW SUMMARY

This communication confirms telephone interviews between Examiner G. Hayes and Ivan D. Zitkovsky (Reg. No. P37,482) on June 30, 1993 and July 1, 1993. The Examiner is authorized to change by an Examiner's Amendment the dependency of claim 7 from a multiple dependent claim to a single dependent claim by deleting "4, 5 or" from claim 7 page 71 line 1.

To the Examiner's attention, applicants submit 8 pages of an Appendix filed with the application on August 10, 1990 and a copy of the corresponding postcard stamped by the Patent and Trademark Office and returned to Applicant.

Please apply any charges or credits to Deposit Account No. 06-1050. Applicant is a small entity based on the Small Entity Statement filed February 11, 1993.

Respectfully submitted,

1993 Date:

Williams ohn N. Reg. No. 18,948

Fish & Richardson 225 Franklin Street Hoston, MA 02110-2804 Telephone: 617/542-5070 Pagsimile: 617/542-8906

Date of Depo I hereby certify than Trademark Office on the date

Telephone 817/542-5070 Faceimile 817/542-8906

DATE:

July 1, 1893

TO:

Examiner G. Hayes U.S. Patient and Trademark Office

Art Unit: 2311

Washington, DC 20231

FAX NO.:

03375 00300001 (703) 308-3721 or 2718

PROM:

John N. Williams, Reg. No. 18,948

RE:

U.S.S.N. 07/566,083

Applicant: Kristoph D. Krug et al.
Filed: August 10, 1990
DEVICE AND METHOD FOR INSPECTION OF BAGGAGE
AND OTHER OBJECTS

Number of Pages (including this pover page): 1,1

If there are any problems with this transmission, please call the telephone number above.

NOTE: This facsimile is intended for the addressee only and may contain privileged or confidential information. If you have received this facsimile in error, please call us collect at (817) 542-5070 immediately to arrange for its return. Thank you,

JUL 01 1993

PTO Facsimile Center